









- [10] Kabi, K.K., Pradhan, C. (2014). Comparative study of image encryption using 2D chaotic map. IEEE Int. Conf. Information Systems and Computer Networks, pp. 105-108. <https://doi.org/10.1109/ICISCON.2014.6965227>
- [11] Kumar, V., Kumar, D. (2010). Performance evaluation of DWT based image steganography. IEEE 2nd Int. Advance Computing Conf, pp. 223-228. <https://doi.org/10.1109/IADCC.2010.5423005>
- [12] Kurak, C., McHugh, J. (1992). A cautionary note on image downgrading. Proceedings of the Eighth Annual Computer Security Applications Conference, pp. 153-159. <https://doi.org/10.1109/CSAC.1992.228224>
- [13] Lim, Wang, Q. (2010). The discrete shearlet transform: A new directional transform and compactly supported shearlet frames. Image Processing, IEEE Transactions, 19(5): 1166-1180. <https://doi.org/10.1109/TIP.2010.2041410>
- [14] Mostafa, R., Ali, A.F., Taweal, E.G. (2015). Hybrid curvelet transform and least significant bit for image steganography. IEEE Seventh Int. Conf. intelligent computing and Information Systems, pp. 300-305. <https://doi.org/10.1109/IntelCIS.2015.7397238>
- [15] Prabakaran, G., Bhavani, R. (2012). A modified secure digital image steganography based on discrete wavelet transform. Int. Conf. Computing, Electronics and Electrical Technologies, pp. 1096-1100. <https://doi.org/10.1109/ICCEET.2012.6203811>
- [16] Singha, S., Sen, M. (2016). Encoding algorithm using bit level encryption and decryption technique. International Conference on Computer, Electrical & Communication Engineering (ICCECE), Kolkata, pp. 1-4. <https://doi.org/10.1109/ICCECE.2016.8009584>
- [17] Li, X.F., Zhang, Y.H. (2016). Digital image encryption and decryption algorithm based on wavelet transform and chaos system. IEEE Advanced Information Management, Communicates, Electronic and Automation Control Conference (IMCEC), Xi'an, pp. 253-257. <https://doi.org/10.2415/AIMC.52411>