









- novel proton exchange membrane-free integrated MFC system with electric membrane bioreactor and air contact oxidation bed for efficient and energy-saving wastewater treatment. *Bioresource Technology*, 238: 472-483. <https://doi.org/10.1016/j.biortech.2017.04.086>
- [11] Yasuda, T., Waki, M., Fukumoto, Y., Hanajima, D., Kuroda, K., Suzuki, K., Matsumoto, T., Uenishi, H. (2017). Community structure of denitrifying and total bacteria during nitrogen accumulation in an ammonia-loaded biofilter. *Journal of Applied Microbiology*, 123(6): 1498-1511. <https://doi.org/10.1111/jam.13603>
- [12] Bruno, A., Sandionigi, A., Galimberti, A., Siani, E., Labra, M., Cocuzza, C., Ferri, E., Casiraghi, M. (2017). One step forwards for the routine use of high-throughput dna sequencing in environmental monitoring. an efficient and standardizable method to maximize the detection of environmental bacteria. *Microbiology Open*, 6(1): e00421. <https://doi.org/10.1002/mbo3.421>
- [13] Brinkman, N.E., Fout, G.S., Keely, S.P., Lapara, T.M. (2017). Retrospective surveillance of wastewater to examine seasonal dynamics of enterovirus infections. *mSphere*, 2(3): e00099-17. <https://doi.org/10.1128/msphere.00099-17>
- [14] Martínez, E., Sotres, A., Arenas, C., Blanco, D., Martínez, O., Gómez, X. (2019). Improving anaerobic digestion of sewage sludge by hydrogen addition: analysis of microbial populations and process performance. *Energies*, 12(7): 1-15. <https://doi.org/10.3390/en12071228>
- [15] Oshiki, M., Miura, T., Kazama, S., Segawa, T., Ishii, S., and Hatamoto, M., Yamaguchi, T., Kubota, K., Iguchi, A., Tagawa, T., Okubo, T., Uemura, S., Harada, H., Kobayashi, N., Araki, N., Sano, D. (2018). Microfluidic pcr amplification and miseq amplicon sequencing techniques for high-throughput detection and genotyping of human pathogenic rna viruses in human feces, sewage, and oysters. *Front Microbiol*, 9: 830-830. <https://doi.org/10.3389/fmicb.2018.00830>
- [16] Selvarajan, R., Sibanda, T., Venkatachalam, S., Kamika, I., Nel, W.A.J. (2018). Industrial wastewaters harbor a unique diversity of bacterial communities revealed by high-throughput amplicon analysis. *Annals of Microbiology*, 68(7): 445-458. <https://doi.org/10.1007/s13213-018-1349-8>
- [17] HJ535. (2009). Water quality-Determination of ammonia nitrogen-Nessler's reagent spectrophotometry.
- [18] HJ636 (2012). Water quality-Determination of total nitrogen-Alkaline potassium persulfate digestion UV spectrophotometric method.
- [19] HJ/T399. (2007). Water quality-Determination of the chemical oxygen demand-Fast digestion-Spectrophotometric method.
- [20] Zhang, X., Yue, S., Zhong, H., Hua, W., Chen, R., Cao, Y. (2011): A diverse bacterial community in an anoxic quinoline-degrading bioreactor determined by using pyrosequencing and clone library analysis. *Applied Microbiology and Biotechnology*, 91(2): 425-434. <https://doi.org/10.1007/s00253-011-3296-1>
- [21] Haldeman, D.L., Amy, P.S., White, D.C., Ringelberg, D.B. (1994). Changes in bacteria recoverable from subsurface volcanic rock samples during storage at 4 degrees c. *Appl Environ Microbiol*, 60(8): 2697-2703. <https://doi.org/10.1002/bit.260440418>
- [22] Kelly, L.C., Cockell, C.S., Herrera-Belaroussi, A., Piceno, Y., Andersen, G., Desantis, T., Brodie, E. (2011). Bacterial diversity of terrestrial crystalline volcanic rocks, iceland. *Microbial Ecology*, 62(1): 69-79. <https://doi.org/10.1007/s00248-011-9864-1>
- [23] Lee, D.W., Park, M.Y., Kim, J.J., Kim, B.S. (2017). *Pseudokineococcus basanitobsidens* sp. nov. isolated from volcanic rock. *International Journal of Systematic and Evolutionary Microbiology*, 67(10): 3824-3828 <https://doi.org/10.1099/ijsem.0.002206>
- [24] Lavoie, K.H., Winter, A.S., Read, K.J.H., Hughes, E.M., Spilde, M.N., Northup, D.E. (2017). Comparison of bacterial communities from lava cave microbial mats to overlying surface soils from lava beds national monument, USA. *PLOS ONE*, 12(2): e0169339. <https://doi.org/10.1371/journal.pone.0169339>