











- 188: 443-450. [https://doi.org/10.1007/978-81-322-1035-1\\_39](https://doi.org/10.1007/978-81-322-1035-1_39)
- [12] Kramer, H.P., Bruckner, J.B. (1975). Iterations of a non linear transformation for enhancement of digital images. *Pattern Recognition*, 7(1-2): 53-58. [https://doi.org/10.1016/0031-3203\(75\)90013-8](https://doi.org/10.1016/0031-3203(75)90013-8)
- [13] Osher, S., Rudin, L.I. (1990). Feature-oriented image enhancement using shock filters. *SIAM Journal on Numerical Analysis*, 27: 919-940. <https://doi.org/10.1137/0727053>
- [14] Alvarez, L., Mazorra, L. (1994). Signal and image restoration using shock filters and anisotropic diffusion. *SIAM Journal on Numerical Analysis*, 31(2): 590-605. <https://doi.org/10.1137/0731032>
- [15] Gilboa, G., Sochen, N.A., Zeevi, Y.Y. (2004). Image enhancement and denoising by complex diffusion processes. *IEEE Transactions on Pattern Analysis and Machine Intelligence*, 26(8): 1020-1036. <https://doi.org/10.1109/tpami.2004.47>
- [16] Kudelka Jr, M. (2012). Image Quality Assessment. *WDS'12 Proceedings of Contributed Papers, Part I*, pp 94-99. ISBN 978-80-7378-224-5 © MATFYZPRESS.
- [17] Alain, H., Djemel, Z. (2010). Image quality metrics: PSNR vs. SSIM. *International Conference on Pattern Recognition*, pp. 2366–2369. <https://doi.org/10.1109/ICPR.2010.579>
- [18] Sara, U., Akter, M., Uddin, M.S. (2019). Image quality assessment through FSIM, SSIM, MSE and PSNR-A comparative study. *Journal of Computer and Communications*, 7: 8-18. <https://doi.org/10.4236/jcc.2019.73002>
- [19] Dung, L.R., Sun, S.T., Wu, Y.Y. (2014). Implementation of shock filter for digital x-ray image processing. *Journal of Computer and Communications*, 2(13): 25-33. <http://dx.doi.org/10.4236/jcc.2014.213004>.