

- <http://dx.doi.org/10.14569/ijacsa.2017.081209>
- [17] Tan, Y.K., Xu, X., Liu, Y. (2016). Improved recurrent neural networks for session-based recommendations. Proceedings of the 1st Workshop on Deep Learning for Recommender Systems - DLRS 2016. ACM Press. <http://dx.doi.org/10.1145/2988450.2988452>
- [18] Liu, K., Shi, X., Kumar, A., Zhu, L., Natarajan, P. (2016). Temporal learning and sequence modeling for a job recommender system. ACM Press. <http://dx.doi.org/10.1145/2987538.2987540>
- [19] Hidasi, B., Karatzoglou, A. (2018). Recurrent neural networks with Top-k gains for session-based recommendations. Proceedings of the 27th ACM International Conference on Information and Knowledge Management - CIKM '18. ACM Press. <http://dx.doi.org/10.1145/3269206.3271761>
- [20] Smirnova, E., Vasile, F. (2017). Contextual sequence modeling for recommendation with recurrent neural networks. Proceedings of the 2nd Workshop on Deep Learning for Recommender Systems - DLRS 2017. ACM Press. <http://dx.doi.org/10.1145/3125486.3125488>
- [21] Tang, S., Wu, Z., Chen, K. (2016). Movie recommendation via BLSTM. lecture notes in computer science. Springer International Publishing, 31: 269-279. http://dx.doi.org/10.1007/978-3-319-51814-5_23
- [22] Zhu, A., Meng, Y., Zhang, C. (2017). An improved Adam Algorithm using look-ahead. Proceedings of the 2017 International Conference on Deep Learning Technologies - ICDLT '17. ACM Press. <http://dx.doi.org/10.1145/3094243.3094249>
- [23] Reddy, K.V.R., Rao, S.B., Raju, K.P. (2018). Handwritten Hindi digits recognition using convolutional neural network with RMSprop optimization. 2018 Second International Conference on Intelligent Computing and Control Systems (ICICCS) IEEE. <http://dx.doi.org/10.1109/iccons.2018.8662969>
- [24] Coba, L., Symeonidis, P., Zanker, M. (2018). Replicating and improving Top-N recommendations in open source packages. Proceedings of the 8th International Conference on Web Intelligence, Mining and Semantics - WIMS '18. ACM Press. <http://dx.doi.org/10.1145/3227609.3227671>
- [25] Symeonidis, P., Zioupos, A. (2016). Matrix and tensor factorization techniques for recommender systems. Springer Briefs in Computer Science. Springer International Publishing. <http://dx.doi.org/10.1007/978-3-319-41357-0>
- [26] Lerche, L., Jannach, D. (2014). Using graded implicit feedback for Bayesian personalized ranking. Proceedings of the 8th ACM Conference on Recommender systems - RecSys'14. ACM Press. <http://dx.doi.org/10.1145/2645710.2645759>
- [27] Papagelis, M., Plexousakis, D. (2005). Qualitative analysis of user-based and item-based prediction algorithms for recommendation agents. Engineering Applications of Artificial Intelligence, 8(7): 781-789. <http://dx.doi.org/10.1016/j.engappai.2005.06.010>
- [28] Shani, G., Gunawardana, A. (2010). Evaluating recommendation systems. Recommender Systems Handbook. Springer, 5: 257-297. http://dx.doi.org/10.1007/978-0-387-85820-3_8