















- [11] Wang Z, Liu H, Long Y, Wang J, He X. (2015). Comparative study on alcohols–gasoline and gasoline–alcohols dual-fuel spark ignition (DFSI) combustion for high load extension and high fuel efficiency. *Energy* 82: 395–405. <https://doi.org/10.1016/j.energy.2015.01.049>
- [12] Storch M, Erdenkäufer S, Wensing M, Will S, Zigan L. (2015). The effect of ethanol blending on combustion and soot formation in an optical DISI engine using high-speed imaging. *Energy Procedia* 66: 77–80. <https://doi.org/10.1016/j.egypro.2015.02.041>
- [13] Huang Y, Hong G, Huang R. (2015). Numerical investigation to the dual-fuel spray combustion process in an ethanol direct injection plus gasoline port injection (EDI+GPI) engine. *Energy Convers. Manag.* 92: 275–286. <https://doi.org/10.1016/j.enconman.2014.12.064>
- [14] Corsetti S, Zehentbauer FM, McGloin D, Kiefer J. (2015). Characterization of gasoline/ethanol blends by infrared and excess infrared spectroscopy. *Fuel* 141: 136–142. <https://doi.org/10.1016/j.fuel.2014.10.025>
- [15] Masum BM, Masjuki HH, Kalam MA, Palash SM, Habibullah M. (2015). Effect of alcohol–gasoline blends optimization on fuel properties, performance and emissions of a SI engine. *J. Clean. Prod.* 86: 230-237. <https://doi.org/10.1016/j.jclepro.2014.08.032>
- [16] Doğan B, Erol D, Yaman H, Kodanlı E. (2017). The effect of ethanol-gasoline blends on performance and exhaust emissions of a spark ignition engine through exergy analysis. *Appl. Therm. Eng.* 120: 433-443. <https://doi.org/10.1016/j.applthermaleng.2017.04.012>
- [17] Phuangwongtrakul S, Wechsato W, Sethaput T, Suktang K, Wongwises S. (2016). Experimental study on sparking ignition engine performance for optimal mixing ratio of ethanol–gasoline blended fuels. *Appl. Therm. Eng.* 100: 869–879. <https://doi.org/10.1016/j.applthermaleng.2016.02.084>
- [18] Poran A, Tartakovsky L. (2015). Energy efficiency of a direct-injection internal combustion engine with high-pressure methanol steam reforming. *Energy* 88: 506–514. <https://doi.org/10.1016/j.energy.2015.05.073>
- [19] Li Y, Gong J, Deng Y, Yuan W, Fu J, Zhang B. (2017). Experimental comparative study on combustion, performance and emissions characteristics of methanol, ethanol and butanol in a spark ignition engine. *Appl. Therm. Eng.* 115: 53–63. <https://doi.org/10.1016/j.applthermaleng.2016.12.037>
- [20] de Almeida LQ, Sales LCM, Sodr e JR. (2015). Fuel consumption and emissions from a vehicle operating with ethanol, gasoline and hydrogen produced on-board. *Int. J. Hydrogen Energy* 40(2015): 6988–6994. <https://doi.org/10.1016/j.ijhydene.2015.03.167>
- [21] Heywood JB. (1998). *Internal Combustion Engine Fundamentals*, McGraw-Hill Inc., New York.
- [22] Gonca G, Sahin B. (2017). Effects of engine design and operating parameters on the performance of a spark ignition (SI) engine with steam injection method (SIM). *Appl. Math. Model.* 44: 655–675. <https://doi.org/10.1016/j.apm.2017.02.010>
- [23] Nguyen QA, Wu YY. (2009). Experimental investigations of using water-gasoline emulsions as a NOx treatment and its effects on performance and Emissions of Lean- burn Spark-Ignition Engine. Paper Presented at the Proceedings of the International Conference on Power Engineering, Kobe, Japan.
- [24] Jonsson M, Yan JY. (2005). Humidified gas turbines da review of proposed and implemented cycles. *Energy* 30(7): 1013e1078. <https://doi.org/10.1016/j.energy.2004.08.005>
- [25] Parlak A, Ayhan A, Gonca G, Boru B. (2013). The effects of electronic controlled Steam injection on spark ignition engine. *Appl. Therm. Eng.* 55(1-2): 61-68. <https://doi.org/10.1016/j.applthermaleng.2013.02.020>
- [26] Rodriguez Anton LM, Gutierrez Martin F, Martinez-Arevalo C. (2015). Experimental determination of some physical properties of gasoline, ethanol and ETBE Ternary blends. *Fuel* 156: 81–86. <https://doi.org/10.1016/j.fuel.2015.04.040>
- [27] Phuangwongtrakul S, Wechsato W, Sethaput T, Suktang K, Wongwises S. (2016). Experimental study on sparking ignition engine performance for optimal mixing ratio of ethanol–gasoline blended fuels. *Appl. Therm. Eng.* 100: 869–879. <https://doi.org/10.1016/j.applthermaleng.2016.02.084>
- [28] Guzm n MA, Katherine Ardila L, Agudelo JR. (2015). Combustion characteristics, performance and emissions of a diesel engine fuelled with water/diesel emulsions. *Chemical Engineering Transactions* 45: 1039-1044. <https://doi.org/10.3303/CET1545174>
- [29] Mohsin R, Kumar T, Majid ZA, Kumar I, Wash AM. (2017). Assessment of usage of biofuel in aviation industry in Malaysia. *Chemical Engineering Transactions* 56: 277-282. <https://doi.org/10.3303/CET1756047>