















- application in industrial power systems. *Electric Power Systems Research*, 110: 113-121. <http://dx.doi.org/10.1016/j.epsr.2013.12.012>
- [13] Hairi, M.H., Aras, M.S.M., Hanaffi, F., Sulaiman, M. (2018). Performance evaluation of overcurrent protection relay based on relay operation time (ROT). *International Journal of Electrical Engineering and Applied Sciences (IJEEAS)*, 1(1): 1-8.
- [14] Bakar, A.H.A., Ooi, B., Govindasamy, P., Tan, C., Illias, H.A., Mokhlis, H. (2014). Directional overcurrent and earth-fault protections for a biomass microgrid system in Malaysia. *International Journal of Electrical Power & Energy Systems*, 55: 581-591. <http://dx.doi.org/10.1016/j.ijepes.2013.10.004>
- [15] Ma, Y., Crossley, P. (2018). Impact of CT saturation on overcurrent relays. *The Journal of Engineering*, 2018(15): 1274-1280. <http://dx.doi.org/10.1049/joe.2018.0188>
- [16] Noghabi, A.S., Sadeh, J., Mashhadi, H.R. (2009). Considering different network topologies in optimal overcurrent relay coordination using a hybrid GA. *IEEE Transactions on Power Delivery*, 24(4): 1857-1863. <http://dx.doi.org/10.1109/TPWRD.2009.2029057>
- [17] Jannati, M., Keivani, R., Eslami, L. (2015). High impedance faults diagnosis in power distribution system based on Adaline harmonic analysis. *Science International*, 27(1): 87-95.
- [18] Chia, K.S. (2015). Predicting the boiling point of diesel fuel using adaptive linear neuron and near infrared spectrum. 2015 10th Asian Control Conference (ASCC), pp. 1-3. <http://dx.doi.org/10.1109/ASCC.2015.7244404>
- [19] Marei, M.I., El-Saadany, E.F., Salama, M.M. (2004). A processing unit for symmetrical components and harmonics estimation based on a new adaptive linear combiner structure. *IEEE Transactions on Power Delivery*, 19(3): 1245-1252. <http://dx.doi.org/10.1109/TPWRD.2004.829110>
- [20] Sediki, H., Bechouche, A., Abdeslam, D.O., Haddad, S. (2013). ADALINE approach for induction motor mechanical parameters identification. *Mathematics and Computers in Simulation*, 90: 86-97. <https://doi.org/10.1016/j.matcom.2012.05.003>
- [21] Bechouche, A., Abdeslam, D.O., Seddiki, H., Mesbah, K. (2014). Adaptive ac filter parameters identification of three-phase PWM rectifiers. In *IECON 2014-40th Annual Conference of the IEEE Industrial Electronics Society*, pp. 1188-1193. <https://doi.org/10.1109/IECON.2014.7048653>
- [22] Yousfi, F.L., Abdeslam, D.O., Nguyen, N.K. (2010). Adaline for fault detection in electrical high voltage transmission line. In *IECON 2010-36th Annual Conference on IEEE Industrial Electronics Society*, pp. 1963-1968. <https://doi.org/10.1109/IECON.2010.5675309>
- [23] Halbwegs, D., Wira, P., Mercklé, J. (2009). Adaline-based approaches for time-varying frequency estimation in power systems. *IFAC Proceedings*, 42(19): 31-36. <https://doi.org/10.3182/20090921-3-TR-3005.00008>
- [24] Tung, D.D., Khoa, N.M. (2016). A novel algorithm of directional overcurrent protection relay based on adaptive linear neural network. *International Journal of Electronics and Electrical Engineering*, 4(6): 494-499. <http://dx.doi.org/10.18178/ijeee.4.6.494-499>
- [25] Kezunovic, M., Chen, Q. (1998). A novel approach for interactive protection system simulation. In *Proceedings of 1996 Transmission and Distribution Conference and Exposition*, pp. 458-464. <https://doi.org/10.1109/TDC.1996.547555>