













- remote sensing. *Transactions of the Chinese Society of Agricultural Engineering*, 25(9): 274-281.
- [19] Wang, L.W., Wei, Y.X., Niu, Z. (2008). Spatial and temporal variations of vegetation in Qinghai Province based on satellite data. *Journal of Geographical Sciences*, 18(1): 73-84. <https://doi.org/10.1007/s11442-008-0073-x>
- [20] Jansen, L.J.M., Di Gregorio, A. (2002). Parametric land cover and land-use classifications as tools for environmental change detection. *Agriculture, Ecosystems & Environment*, 91(1-3): 89-100. [https://doi.org/10.1016/S0167-8809\(01\)00243-2](https://doi.org/10.1016/S0167-8809(01)00243-2)
- [21] Vergniory, M.G., Elcoro, L., Wang, Z.J., Cano, J., Felser, C., Aroyo, M.I., Andrei Bernevig, B., Bradlyn, B. (2017). Graph theory data for topological quantum chemistry. *Physical Review E*, 96(2): 023310. <https://doi.org/10.1103/PhysRevE.96.023310>
- [22] Chen, W., Xie, X.S., Peng, J.B., Shahabi, H., Hong, H.Y., Bui, D. T., Duan, Z., Li, S.J., Zhu, A.X. (2018). GIS-based landslide susceptibility evaluation using a novel hybrid integration approach of bivariate statistical based random forest method. *Catena*, 164: 135-149. <https://doi.org/10.1016/j.catena.2018.01.012>