

- ❖ The influence of diffusivity ratio parameter or heat capacities ratio parameter reduces the heat transfer coefficient.
- ❖ Energy profile θ increases by enlarging Ec .

Acknowledgement

The authors would like to thanks to Prof. Koneru S.R., Retired Professor, Department of Mathematics, IIT Bombay for his support throughout this research work.

References

- [1] Prandtl L. (1904). Uber flussigkeitsbewegung bei sehr kleiner reibung. Verhandl. 3rd Int. Maths. Kongr, Heideberg, Leipzig, 1905.
- [2] Motsumi GT, Makinde O. (2012). Effects of thermal radiation and viscous dissipation on boundary layer ow of nanofluids over a permeable moving at plate. *Physica Scripta* 86(4): 045003. <https://doi.org/10.1088/0031-8949/86/04/045003>
- [3] Ibrahim W, Makinde OD. (2013). The effect of double stratification on boundary layer flow and heat transfer of nanofluid over a vertical plate. *Computers & Fluids* 86: 433-441. <https://doi.org/10.1016/j.compfluid.2013.07.029>
- [4] Makinde OD. (2012). Analysis of Sakiadis flow of nanofluids with viscous dissipation and Newtonian heating. *Applied Mathematics and Mechanics* 33(12): 1545-1554.
- [5] Daniel Makinde O. (2013). Computational modeling of nanofluids ow over a convectively heated unsteady stretching sheet. *Current Nanoscience* 9(5): 673-678. <https://doi.org/10.2174/15734137113099990068>
- [6] Sakiadis B. (1961). Boundary-layer behavior on continuous solid surfaces: I. boundary-layer equations for two-dimensional and axisymmetric flow. *AIChE Journal* 7(1): 26-28. <https://doi.org/10.1002/aic.690070108>
- [7] Choi SUS, Eastman JA. (1995). Enhancing thermal conductivity of fluids with nanoparticles. https://www.researchgate.net/publication/236353373_Enhancing_thermal_conductivity_of_fluids_with_nanoparticles, accessed on January 1995.
- [8] Malvandi A, Ganji DD. (2014). Effects of nanoparticle migration on force convection of alumina/water nanofluid in a cooled parallel-plate channel. *Adv. Powder Technol* 25(4): 1369-1375. <https://doi.org/10.1016/j.apt.2014.03.017>
- [9] Khanafer K, Vafai K. (2011). A critical synthesis of thermophysical characteristics of nanofluids. *International Journal of Heat and Mass Transfer* 54(19): 4410-4428. <https://doi.org/10.1016/j.ijheatmasstransfer.2011.04.048>
- [10] Masuda H, Ebata A, Teramae K, Hishinuma N. (1993). Alteration of thermal conductivity and viscosity of liquid by dispersing ultra-fine particles dispersion of Al₂O₃; SiO₂ and TiO₂ ultra-fine particles. *Netsu Bussei* 7(4): 227-233. <https://doi.org/10.2963/jjtp.7.227>
- [11] Buongiorno J. (2006). Convective transport in nanofluids. *Journal of Heat Transfer* 128(3): 240-250. <https://doi.org/10.1115/1.2150834>
- [12] Mehrez Z, Bouterra M, El Cafsi A, Belghith A. (2013). Heat transfer and entropy generation analysis of nanofluids flow in an open cavity. *Computers & Fluids* 88: 363-373. <https://doi.org/10.1016/j.compfluid.2013.09.026>
- [13] Vajravelu K. (2001). Viscous flow over a nonlinearly stretching sheet. *Applied mathematics and computation*. *Applied Mathematics and Computation* 124(3): 281-288. [https://doi.org/10.1016/S0096-3003\(00\)00062-X](https://doi.org/10.1016/S0096-3003(00)00062-X)
- [14] Gebhart B, Mollendorf J. (1969). Viscous dissipation in external natural convection flows. *J. Fluid Mechanics*, 38(01): 97-107. <https://doi.org/10.1017/S0022112069000061>
- [15] Duwairi HM. (2005). Viscous and Joule heating effects on forced convection ow from radiate isothermal porous surfaces. *Int. J. Numerical Methods for Heat & Fluid Flow* 15(5): 429-440. <https://doi.org/10.1108/09615530510593620>
- [16] Nadeem S, Hussain ST. (2014). Flow and heat transfer analysis of Williamson nanofluid. *Appl Nanosci.* 4(8): 1005-1012.