

- from multiple agronomic plots. *Biogeosciences*, 15(11): 3439-3460. <https://doi.org/10.5194/bg-15-3439-2018>
- [9] Jacques, G. (2006). Introduction to experimental plans. Dunod, Revue Modulad, 34.
- [10] Plackett, R.L., Burman, J.P. (1946). The design of optimum multifactorial experiments. *Biometrika*, 33(4): 305-325. <https://doi.org/10.1093/biomet/33.4.305>
- [11] Jacques, G. (2006). Experiment plans for response surfaces. Dunod. Paris, Revue Modulad, 34: 74-113.
- [12] Beekmann, M., Derognat, C. (2003). Monte Carlo uncertainty analysis of a regional-scale transport chemistry model constrained by measurements from the Atmospheric Pollution Over the Paris Area (ESQUIF) campaign. *Journal of Geophysical Research*, 23(D17): 10-1029. <https://doi.org/10.1029/2003JD003391>
- [13] Chellali, F., Khellaf, A., Belouchrani, A., Reციoui, A. (2011). A contribution in the actualization of wind map of Hassi R'mel Algeria. *Renewable and Sustainable Energy Reviews*, 15(2): 993-1002. <https://doi.org/10.1016/j.rser.2010.11.025>
- [14] Brown, J., Graver, B., Gulbrandsen, E., Dugstad, A., Morland, B. (2014). Update of DNV recommended practice RP-J202 with focus on CO₂ corrosion with impurities. *Energy Procedia*, 63: 2432-2441. <https://doi.org/10.1016/j.egypro.2014.11.265>
- [15] Zmirou D, Touloumi G, Wojtyniak B, Ponka A, et al. (1997). Air pollution and daily admissions for chronic obstructive pulmonary disease in 6 European cities: results from the Apha project. *European Respiratory Journal*, 10(5): 1064-71.
- [16] Auvinen, A., Makelainen, I., Hakama, N., Castren, O., Pukkala, E., Reisbacka, H., Rytömaa, T. (1998). Indoor radon exposure and risk of lung cancer: A nested case-control study. *J Natl Cancer Inst*, 90: 401-402.
- [17] Aarnio, P., Yli-Tuomi, T., Kousa, A., Mäkelä, T., Hirsikko, A., Hämeri, K., Räsänen, M., Hillamo, R., Koskentalo, T., Jantunen, M. (2005). The concentrations and composition of and exposure to fine particles (PM_{2.5}) in the Helsinki subway system. *Atmospheric Environment*, 39(28): 5059-5066. <https://doi.org/10.1016/j.atmosenv.2005.05.012>
- [18] Acker, K., Möller, D., Marquardt, W., Brüggemann, E., Wieprecht, W., Auel, R., Kalaß, D. (1998). Atmospheric research program for studying changing emission patterns after German unification. *Atmospheric Environment*, 32(20): 3435-3443. [https://doi.org/10.1016/S1352-2310\(98\)00041-7](https://doi.org/10.1016/S1352-2310(98)00041-7)
- [19] Akinaga, L.M.Y., Lichtenfels, A.J., Carvalho-Oliveira, R., Caldini, E.G., Dolhnikoff, M., Silva, L.F.F., De Siqueira Bueno, H.M., Pereira, L.A.A., Saldiva, P.H.N., Garcia, M.L.B. (2009). Effects of chronic exposure to air pollution from Sao Paulo city on coronary of Swiss mice, from birth to adulthood. *Toxicological Pathology*, 37(3): 306-314. <https://doi.org/10.1177/0192623309332994>