















Ministry MIUR for the ideas and discussion at this table for many years. In addition, thanks for the external collaboration had in the past with Valentina Infante and Anna Buono (Matera Municipality) and with Cristina Del Prete.

## REFERENCES

- [1] (2009). EEA, EMEP/EEA air pollutant emission inventory guidebook. EEA, Copenhagen.
- [2] (2012). EU Strategic Energy Technology Plan WTO workshop on environmental technology dissemination November.
- [3] ICLEI. (2009). International Local Government GHG Emissions Analysis Protocol.
- [4] (2006). IPCC Guidelines for National Greenhouse Gas Inventories.
- [5] Chomkham Sri K, Wolf MA, Pant R. (2011). International reference life cycle data system (ILCD) handbook: Review schemes for life cycle assessment. Towards Life Cycle Sustainability
- [6] Monforti F, Huld T, Bodis K, Vitali L, D'Isidoro M, Lacal-Arantequi R. (2017). Assessing complementarity of wind and solar resources for energy production in Italy. A Monte Carlo approach. *Renewable Energy* 63: 576-586. <https://doi.org/10.1016/j.renene.2013.10.028>
- [7] (2016). Patto dei Sindaci—per il clima e l'energia - Commitment Document.
- [8] Quattrocchi F, Boschi E, Spena A, Buttinelli M, Cantucci B, Procesi M. (2013). Synergic and conflicting issues in planning underground use to produce energy in densely populated countries, as Italy. Subtitle: geological storage of CO<sub>2</sub>, natural gas, geothermics and nuclear waste disposal. *Applied Energy* 101: 393-412. <https://doi.org/10.1016/j.apenergy.2012.04.028>
- [9] Procesi M, Cantucci B, Buttinelli M, Armezzani G, Quattrocchi F, Boschi E. (2013). Strategic use of the underground in an energy mix plan: Synergies among CO<sub>2</sub>, CH<sub>4</sub> geological storage and geothermal energy. Latium Region case study (Central Italy). *Applied Energy* 110: 104-131. <https://doi.org/10.1016/j.apenergy.2013.03.071>
- [10] Buttinelli M, Procesi M, Cantucci B, Quattrocchi F. (2011). The geo-database of caprock quality and deep saline aquifers distribution for geological storage of CO<sub>2</sub> in Italy. *Energy* 36(5): 2968-2983. <https://doi.org/10.1016/j.energy.2011.02.041>
- [11] Bonanomi M, De Lumeri C, Lavagna M. (2012). Edifici a Consumo Energetico Zero.
- [12] REPORT ISPRA. (2017). A methodology for optimization of the complementarity between small-hydropower plants and solar PV systems with the contribution of Ioannis Kougias, Sandor Szabo, Fabio Monforti-Ferrario, Thomas Huld, Katalin Bodis European Commission, Joint Research Centre, Institute for Energy & Transport, Renewables & Energy Efficiency Unit, IPR45, 21027, Ispra, Italy.
- [13] Miller FP, Vandome AF, McBrewster J. (2010). Geothermal Energy Association (GEA).
- [14] McGrail BP. (2010). Low-temperature geothermal power: A welcome neighbor in densely populated region? 34-th Course of the International School of Geophysics “Densely populated settings: The challenge of siting geological facilities for deep geothermics, CO<sub>2</sub> and natural gas storage, and radioactive waste disposal-Underground coexistence and synergies for a sound energy mix in the post-Kyoto era, Erice.