

- Dam' using artificial neural network. *Arch. Min. Sci.* 59(4): 1087–1096.
- [9] Khandelwal M, Kankar PK, Harsha SP. (2010). Evaluation and prediction of blast induced ground vibration using support vector machine. *Min. Sci. Technol.* 20(1): 64–70. [http://dx.doi.org/10.1016/S1674-5264\(09\)60162-9](http://dx.doi.org/10.1016/S1674-5264(09)60162-9)
- [10] Verma AK, Singh TN. (2013). Comparative study of cognitive systems for ground vibration measurements. *Neural Comput. Appl.* 22(1): 341–350. <http://dx.doi.org/10.1007/s00521-012-0845-1>
- [11] Rao YS. (2012). Prediction of ground vibrations in opencast mine using nonlinear regression analysis. *Int. J. Eng. Sci. Technol.* 4(9).
- [12] Singh TN, Dontha LK, Bhardwaj V. (2008). Study into blast vibration and frequency using ANFIS and MVRA. *Min. Technol.* 117(3): 116–121. <http://dx.doi.org/10.1179/037178409X405741>
- [13] Trivedi R, Singh TN, Mudgal K, Gupta N. (2014). Application of artificial neural network for performance evaluation of vertical axis wind turbine rotor. *Int. J. Ambient Energy* 3(5): 564–574.
- [14] Blair DP. (2004). Charge weight scaling laws and the superposition of blast vibration waves. *Fragblast* 8(4): 221–239. <http://dx.doi.org/10.1080/13855140412331291610>
- [15] Mortazavi A, Katsabanis PD. (2001). Modelling burden size and strata dip effects on the surface blasting process. *Int. J. Rock Mech. Min. Sci.* 38(4): 481–498. [http://dx.doi.org/10.1016/S1365-1609\(01\)00015-6](http://dx.doi.org/10.1016/S1365-1609(01)00015-6)
- [16] Kostić S, Vasović N, Franović I, Samčović A, Todorović K. (2014). Assessment of blast induced ground vibrations by artificial neural network. In *Neural Network Applications in Electrical Engineering (NEUREL)*, pp. 55–60. <http://dx.doi.org/10.1109/NEUREL.2014.7011458>
- [17] Khandelwal M, Singh TN. (2007). Evaluation of blast-induced ground vibration predictors. *Soil Dyn. Earthq. Eng.* 27(2): 116–125. <http://dx.doi.org/10.1016/j.soildyn.2006.06.004>
- [18] Dong L, Li X, Xu M, Li Q. (2011). Comparisons of random forest and Support Vector Machine for predicting blasting vibration characteristic parameters. *Procedia Eng.* 26: 1772–1781.
- [19] Agrawal H, Mishra AK. (2018). Evaluation of initiating system by measurement of seismic energy dissipation in surface blasting. *Arab. J. Geosci.* 11(13): 345. <http://dx.doi.org/10.1007/s12517-018-3683-3>
- [20] Liaw A, Wiener M. (2002). Classification and Regression by randomForest. *R News* 2(December): 18–22.
- [21] Tawadrous A. (2006). Evaluation of artificial neural networks as a reliable tool in blast design. In *Proceedings of the Annual Conference on Explosives and Blasting Technique* 32(1): 71.
- [22] Physicist S, Duvall WI, Fogelson DE. (2000). Review of Criteria for Estimating Damage To, no. April 1961, pp. 1-16.