















#### 4. CONCLUSION

In this paper, we have proposed a new speech compression technique integrating a psychoacoustic model and uniform Filter Bank which is designed using optimization. The role of the psychoacoustic model is to determine which portions of the speech signal to remove without loss of sound quality to the human ear. The proposed technique was evaluated and compared to a second technique based on psychoacoustic model and MDCT (Modified Discrete Cosine Transform) filter banks having 32 filters. This evaluation is performed by computing the bits before and after compressing, SNR, PSNR, NRMSE and PESQ. The obtained results from bits before and after compressing, SNR, PSNR, NRMSE and PESQ, show that the proposed technique outperforms the other compression technique (based on the psychoacoustic model and the MDCT filter banks of 32 filters). In fact, in term of perceptual quality and according to SNR, PSNR and NRMSE and PESQ, the reconstructed speech signals obtained after compression/de-compression using the proposed technique, have a better perceptual qualities compared to those obtained from the application of the second compression technique. Moreover, in term of sizes of the reconstructed speech signals and Compression Ratios, the proposed technique permits to obtain better Compression Ratios compared to those obtained by the second technique. We have also evaluating the proposed technique by comparing it to a third speech compression technique based on Discrete Wavelet Transform (DWT) and VAD (Voice Activity Detection). This comparison is also in term of SNR, PSNR, NRMSE and CR and the obtained results show that the proposed technique outperforms the third technique based on DWT and VAD.

#### ACKNOWLEDGMENT

We would like to thank all the people who contributed in some way to this work which was supported by CRTen (Center of Researches and Technologies of Energy of Borj Cedria, Tunis and Ministry of Higher Education and Scientific Research.

#### REFERENCES

- [1] Xie N, Dong G, Zhang T. (2011). Using lossless data compression in data storage systems: not for saving space. *IEEE Transactions on Computers* 60(3): 335–345.
- [2] Gibson JD. (2005). *Speech coding methods, standards, and applications*. *IEEE Circuits and Systems Magazine* 5(4): 30–49.
- [3] Riadh A, Salim S, Said G, Ali C, Taleb Ahmed A. (2014). Novel detection algorithm of speech activity and the impact of speech codecs on remote speaker recognition system. *WSEAS Transactions on Signal Processing*. E-ISSN: 2224-3488.
- [4] Junejo N, Ahmed N, Unar MA, Rajput AQK. (2005). Speech and image compression using discrete wavelet transform. In *IEEE Symposium on Advances in Wired and Wireless Communication*, pp. 45–48.
- [5] Arif M, Anand RS. (2012). Turning point algorithm for speech signal compression. *International Journal of Speech Technology*. 10.1007/s10772-012-9151-7, 2012.
- [6] Gersho A. (1992). *Speech coding*. In A. N. Ince (Ed.), *Digital Speech Processing*, pp. 73–100. Boston: Kluwer Academic.
- [7] Gersho A. (1994.). *Advance in speech and audio compression*. *Proceedings of the IEEE* 82(6): 900–918.
- [8] Agbinya JI. (1996). Discrete wavelet transform techniques in speech processing. In *IEEE Tencon Digital Signal Processing Applications Proceedings*, New York: IEEE, pp. 514–519.
- [9] Gershikov E, Porat M. (2007). On color transforms and bit allocation for optimal subband image compression. *Signal Processing. Image Communication* 22: 1–18.
- [10] W.A.V.S. *Compression*. <http://www.aamusings.com/project/documentation/wavs/index.html>
- [11] [http://www.360doc.com/content/05/0810/17/641\\_5382.shtml](http://www.360doc.com/content/05/0810/17/641_5382.shtml)
- [12] Giron-Sierra JM. (2017). *Digital signal processing with matlab examples*. <http://www.springer.com/us/book/9789811025334>
- [13] Moazzen I, Agathoklis P. (2014). A general approach for filter bank design using optimization. Technical Report. <http://www.ece.uvic.ca/~imanmoaz/publications.htm>
- [14] Aloui N, Boussalmi S, Cherif A. (2015). Optimized speech compression algorithm based on wavelets techniques and its real time implementation on DSP. *I.J. Information Technology and Computer Science* 3: 33-41.
- [15] Suryavanshi HE, et al. (2013). Digital image watermarking in wavelet domain. *International Journal of Electrical and Computer Engineering (IJECE)* 3(1): 1–6.
- [16] Narmadha D, et al. (2014). An optimal HSI image compression using DWT and CP. *International Journal of Electrical and Computer Engineering (IJECE)* 4(3): 411–421.
- [17] Boussalmi S, Aloui N, Cherif A. (2016). Adaptive speech compression based on discrete wave atoms transform. *International Journal of Electrical and Computer Engineering (IJECE)* 6(5): 2150-2157.
- [18] Talbi M, Barnoussa C, Cherif A. (2013). Speech compression based on psychoacoustic model and a general approach for filter bank design using optimization. *ACIT'2013*.
- [19] Talbi M. (2017). Speech enhancement based on stationary bionic wavelet transform and maximum a posterior estimator of magnitude-squared spectrum. *International Journal of Speech Technology* 20(1): 75–88.
- [20] Chattopadhyaya A, Chattopadhyay S, Bera JN, Sengupta S. (2016). Wavelet decomposition based skewness and kurtosis analysis for assessment of stator current harmonics in a PWM – fed induction motor drive during single phasing condition. *Advances in Modelling and Analysis B* 59(1): 1-14.
- [21] Sun Q, Zhao X. (2016). A new subspace based speech enhancement algorithm with low complexity. *Advances in Modelling and Analysis B* 59(1): 164-176.