











force curve is convergent. Therefore, it can be seen that the dam foundation is stable under these three water levels.

(4) Through comparison, it is found that the uplift pressure of the upstream and downstream sliding surfaces calculated by the analytical method are close to that obtained by numerical simulation, proving that the numerical simulation method adopted in this paper is credible.

## REFERENCES

- [1] Gao Y, Ye X, Xia Q. (2016). Numerical simulation of single fracture seepage based on equivalent continuum model. *Groundwater* 38(5): 40-43. <http://doi.org/10.3969/j.issn.1004-1184.2016.05.016>
- [2] Wang Y, Su BY, Xu ZY. (1998). Full coupling analysis of seepage and stress in equivalent continuous fractured rock mass. *Journal of Hohai University* (2): 26-30. <http://doi.org/10.3321/j.issn:1000-1980.1998.02.005>
- [3] Wang D, Shen ZZ, Tao XH. (2012). Three-dimensional finite element analysis and safety assessment for seepage field of a tailings dam. *Journal of Hohai University (Natural Science Edition)* 40(3): 307-312. <http://doi.org/10.3876/j.issn.1000-1980.2012.03.011>
- [4] Chen SK, Yan J, Li JM. (2011). Seepage field 3D finite element simulation of concrete faced rockfill dam under failure condition of vertical fracture. *Rock and Soil Mechanics* 32(11): 3473-3478, 3486. <http://doi.org/10.3969/j.issn.1000-7598.2011.11.045>
- [5] Liu J, Xie DS. (2011). Development status of seepage control theory for rock DAMS in China. *Journal of Geotechnical Engineering* 33(5): 714-718. <http://doi.org/10.3354/cr00999>
- [6] Wang EZ, Han XM, Huang YZ. (2003). Nonlinear seepage mechanism of low-permeability rock. *Rock and Soil Mechanics* (S2): 120-124, 132.
- [7] Wang EZ, Sun Y, Huang YZ, Wang HM. (2002). 3-D seepage flow model for discrete fracture network and verification experiment. *Chinese Journal of hydraulic Engineering* (5): 37-40. <http://doi.org/10.3321/j.issn:0559-9350.2002.05.008>
- [8] Chai JR, Li SY, Wu YQ. (2000). Research on multiple-level fracture network model for coupled seepage and stress fields in rock mass. *Chinese Journal of Rock Mechanics and Engineering* (6): 712-717. <http://doi.org/10.3321/j.issn:1000-6915.2000.06.006>
- [9] Chai JR. (2000). On Mathematical model for coupled seepage and temperature field in concrete dam. *Chinese Journal of Hydroelectric Power* (1): 27-35. <http://doi.org/10.3969/j.issn.1003-1243.2000.01.005>
- [10] Chai JR. (2000). Calculation of fracta dimension of fractured rock mass by monte-carlo analogy technique. *Hydrogeology Engineering Geology* (2): 12-13. <http://doi.org/10.3969/j.issn.1000-3665.2000.02.004>
- [11] Wang EZ. (1993). Network analysis and seepage model of rock mass fractures. *Chinese Journal of Rock Mechanics and Engineering* (3): 214-221.
- [12] Yang YY, Zhou WY. (1991). Seepage-damage coupling analysis model of fractured rock mass and its engineering application. *Chinese Journal of Hydraulic Engineering* (5): 19-27, 35. <http://doi.org/10.3321/j.issn:0559-9350.1991.05.003>
- [13] Zhang YK. (1983). Seepage model of fissure-karst aquifer double media and ritz finite element solution. *Engineering Investigation* (4): 57-62, 68.
- [14] Wang EZ, Wang HT, Sun Y. (1998). Seepage model of double fracture system. *Chinese Journal of Rock Mechanics and Engineering* (4): 52-58.