

- Engineering*, Vol. 3, No. 11, pp. 17200-17204. DOI: [10.15680/IJRSET.2014.0311016](https://doi.org/10.15680/IJRSET.2014.0311016)
- [2] Serna M., Jimenez A. (2005). A compact formulation of the Bell Delaware method for Heat Exchanger design and optimization, *Chemical Engineering Research and Design*, Vol. 83, No. A5, pp. 539-550. DOI: [10.1205/cherd.03192](https://doi.org/10.1205/cherd.03192)
- [3] Lei G.Y., He Y.L., Li R. Gao Y.F. (2008). Effects of baffle inclination angle on flow and heat transfer of a heat exchanger with helical baffles, *Science Direct-Chemical Engineering and Processing*, pp. 1-10. DOI: [10.1016/j.ijheatmasstransfer](https://doi.org/10.1016/j.ijheatmasstransfer)
- [4] Lutchka J., Nemcansky J. (1990). Performance improvement of tubular heat exchangers by helical baffles, *Chemical Engineering Research and Design*, Vol. 68, pp. 263- 270. DOI: [10.1155/2011/839468](https://doi.org/10.1155/2011/839468)
- [5] Kumar P., Kumar V., Nain S. (2014). Experimental study on heat enhancement of helix changer with grooved tubes, *IJLTET*, Vol. 3, No. 4.
- [6] Shinde S., Pancha M.H. (2012). Comparative thermal performance analysis of segmental baffle heat exchanger with continuous helical baffle heat exchanger using kern method, *IJERA*, Vol. 2, No. 4, pp. 2264-2271.