











- characteristics of seven wall specimens. *ASHRAE Transactions* 99(1): 632–642.
- [6] Boudjema, O. (2019). *Gestion du microclimat d'un local de laboratoire de recherche*. PhD, Tahri Mohamed University.
- [7] Missoum, A., Elmir, M., Bouanini, M., Belkacem, D. (2016). Numerical simulation of heat transfer through the building facades of buildings located in the city of Bechar. <https://doi.org/10.1016/j.egypro.2013.07.096>
- [8] Tanous, C. (2005). *Efficacité énergétique des bâtiments résidentiels*.
- [9] E. I. 6946. (2007). Building Components and Building Elements-Thermal Resistance and Thermal Transmittance-Calculation Method, in European Committee of Standardization, Brussels, ed.
- [10] E. I. 13786. (2007). *Thermal Performance of Building Components-Dynamic Thermal Characteristics-Calculation Methods*.
- [11] E. I. 13790. (2008). *Energy Performance of Buildings-Calculation of Energy Use for Space Heating and Cooling*, in European Committee of Standardization, Brussels, ed.
- [12] E. I. 13792. (2005). *Thermal Performance of Buildings-Calculation of Internal Temperatures of a Room in summer without Mechanical Cooling-Simplified Methods*.
- [13] ASHRAE, *Handbook of Fundamentals*, (American Society of Heating, Refrigerating and Air-conditioning Engineers, 2010).
- [14] Mebarki, B. (2004). *Etude de dimensionnement d'une installation de ventilation et de conditionnement d'air de l'aéroport de Mécheria*, Tahri Mohamed University.