









- [5] Granata, M.F., Longo, G., Recupero, A., Arici, M. (2018). Construction sequence analysis of long-span cable-stayed bridges. *Engineering Structures*, 174: 267-281. <https://doi.org/10.1016/j.engstruct.2018.07.064>
- [6] Lozano-Galant, J.A., Payá-Zaforteza, I., Xu, D., Turmo, J. (2012). Analysis of the construction process of cable-stayed bridges built on temporary supports. *Engineering Structures*, 40: 95-106. <https://doi.org/10.1016/j.engstruct.2012.02.005>
- [7] Jiang, L.C., Gao, R. (2010). Deformation monitoring during removal of the supporting of T-type rigid frame bridge constructed by rotation method. *Procedia Engineering*, 4: 355-360. <https://doi.org/10.1016/j.proeng.2010.08.041>
- [8] Dolinajová, K., Moravčík, M. (2013). Monitoring and numerical analysis of construction stages on the bridge realized by the free cantilever method. *Procedia Engineering*, 65: 321-326. <https://doi.org/10.1016/j.proeng.2013.09.049>
- [9] Jeon, J.C., Lee, H.H. (2019). Development of displacement estimation method of girder bridges using measured strain signal induced by vehicular loads. *Engineering Structures*, 186: 203-215. <https://doi.org/10.1016/j.engstruct.2019.01.107>
- [10] Erdenebat, D., Waldmann, D., Scherbaum, F., Teferle, N. (2018). The deformation area difference (DAD) method for condition assessment of reinforced structures. *Engineering Structures*, 155: 315-329. <https://doi.org/10.1016/j.engstruct.2017.11.034>
- [11] Sousa, H., Bento, J., Figueiras, J. (2013). Construction assessment and long-term prediction of prestressed concrete bridges based on monitoring data. *Engineering Structures*, 52: 26-37. <http://dx.doi.org/10.1016/j.engstruct.2013.02.003>
- [12] Chacón, R., Zorrilla, R. (2015). Structural health monitoring in incrementally launched steel bridges: Patch loading phenomena modeling. *Automation in Construction*, 58: 60-73. <https://doi.org/10.1016/j.autcon.2015.07.001>
- [13] Wang, X.Z., Wang, C.Q. (2016). Analysis of temperature stress in control of bridge construction. *International Journal of Heat and Technology*, 34(4): 715-721. <https://doi.org/10.18280/ijht.340423>
- [14] Xue, Y.J., Liu, W. (2017). Research on application of grey system theory in construction monitoring of continuous rigid frame bridge. *Environmental and Earth Sciences Research Journal*, 4(4): 93-96. <https://doi.org/10.18280/eesrj.040402>
- [15] Zong, Z.H., Lin, X.S., Niu, J. (2015). Finite element model validation of bridge based on structural health monitoring Part I: Response surface-based finite element model updating. *Journal of Traffic and Transportation Engineering*, 2(4): 258-278. <https://doi.org/10.1016/j.jtte.2015.06.001>
- [16] Akl, A., Saïid Saïidi, M., Vosooghi, A. (2017). Deflection of in-span hinges in prestressed concrete box girder bridges during construction. *Engineering Structures*, 131: 293-310. <https://doi.org/10.1016/j.engstruct.2016.11.003>
- [17] Adanur, S., Günaydin, M., Altunışık, A.C., Sevim, B. (2012). Construction stage analysis of humber suspension bridge. *Applied Mathematical Modelling*, 36(11): 5492-5505. <https://doi.org/10.1016/j.apm.2012.01.011>