

- 2(4): 375-382.
<https://doi.org/10.5293/IJFMS.2009.2.4.375>
- [46] Jošt D, Lipej A. (2009). Numerical prediction of the vortex rope in the draft tube. 3rd IAHR International Meeting of the Workgroup on cavitation and Dynamic Problems in Hydraulic Machinery and Systems.
- [47] Bauer D, Peikert R, Sato M, Sick M. (2002). A case study in selective visualization of unsteady 3D flow. Proceedings of the conference on Visualization'02. IEEE Computer Society.
<https://doi.org/10.1109/VISUAL.2002.1183821>
- [48] Guo Y, Kato C, Miyagawa K. (2007). Large-eddy simulation of non-cavitating and cavitating flows in the draft tube of a Francis turbine. SEISAN-KENKYU 59(1): 83-88. <https://doi.org/10.11188/seisankenkyu.59.83>
- [49] Okita K, Kajishima T. (2002). Numerical simulation of unsteady cavitating flows around a hydrofoil. Trans. JSME, Series B 68(667): 637-644.
<https://doi.org/10.1299/kikaib.68.637>
- [50] Khurana SN, Hardeep S. (2012). Effect of cavitation in hydraulic turbines- A review. International Journal of Current Engineering and Technology 172-177.
- [51] Escaler X, Farhat M, Egusquiza E, Avellan F. (2007). Dynamics and intensity of erosive partial cavitation. Journal of Fluids Engineering 129(7): 886-893.
<https://doi.org/10.1115/1.2742748>
- [52] Staubli T, Abgottspon A, Weibel P, Bissel C, Parkinson E, Leduc J, Leboeuf L. (2008). Jet quality and Pelton efficiency. Proceedings of the IGHEM, International Conference on Hydraulic Efficiency Measurements, 2008, Italy.
- [53] Patel K, Patel B, Yadav M, Foggia T. (2010). Development of Pelton turbine using numerical simulation. 25th IAHR Symposium on Hydraulic Machinery and Systems, pp: 1-8.
<https://doi.org/10.1088/1755-1315/12/1/012048>
- [54] Peron M, Parkinson E, Geppert L., Staubli T. (2008). Importance of jet quality on Pelton efficiency and cavitation. International conference on Hydraulic Efficiency Measurements, 2008, Milano.
- [55] Perrig A, Avellan F, Kueny JL, Farhat M, Parkinson E. (2006). Flow in a Pelton turbine bucket: Numerical and experimental investigations. Journals of Fluids Engineering 128(2): 350-358.
<https://doi.org/10.1115/1.2170120>
- [56] Zeng Y, Liu X, Wang H. (2012). Prediction and experimental verification of vortex flow in draft tube of Francis turbine based on CFD. International Conference on Advances in Computational Modeling and Simulation 31: 196-205.
<https://doi.org/10.1016/j.proeng.2012.01.1012>
- [57] Zhu XZ, Su WT, Li BX, Li CF, Guo L. (2014). Effect of blade perforation on Francis hydro-turbine cavitation characteristics. Journal of Hydraulic Research 52(3): 415-420.
<https://doi.org/10.1080/00221686.2013.879610>
- [58] Tridon S, Barre S, Ciocan GD, Tomas L. (2010). Experimental analysis of the swirling flow in a Francis turbine draft tube: Focus on radial velocity component determination. European Journal of Mechanics 29(4): 321-335.
<https://doi.org/10.1016/j.euromechflu.2010.02.004>
- [59] Kumar P, Saini RP. (2010). Study of cavitation in hydro turbines- A review. Renewable and Sustainable Energy Reviewa 14(1): 374-383.
<https://doi.org/10.1016/j.rser.2009.07.024>
- [60] Demirel G, Ayli E, Celebioglu Y, Tascioglu Y, Aradag S. (2015). Experimental determination of cavitation characteristics of hydraulic turbines. World Congress of Engineering, 2015, England.

NOMENCLATURE

Q	Flow rate (m ³ /s)
H	Head (m)
N _{ED}	Dimensionless Specific Speed (%)
Q _{ED}	Dimensionless Flow Rate (%)
u, v, w	Velocity components (m/s)
D	Diameter (m)

Greek symbols

σ	Dimensionless Thoma Number
----------	----------------------------