contaminant sources on the degradation of stream water quality in urban catchments. Water, 11(10): 2025. https://doi.org/10.3390/w11102025

[32] Soares, H.M.V., Boaventura, R.A., Machado, A.A.S., Esteves da Silva, J.C. (1999). Sediments as monitors of heavy metal contamination in the Ave river basin (Portugal): multivariate analysis of data. Environmental Pollution, 105(3): 311-323. https://doi.org/10.1016/s0269-7491(99)00048-2

[33] Alves, C.M., Boaventura, R.R.A.R., Soares, H.M.V.M. (2009). Evaluation of heavy metals pollution loadings in the sediments of the Ave River Basin (Portugal). Soil and Sediment Contamination: An International Journal, 18(5): 603-618. https://doi.org/10.1080/15320380903113568

[34] Fonseca, A., Boaventura, R.A.R., Vilar, V.J.P. (2017). Integrating water quality responses to best management practices in Portugal. Environmental Science and Pollution Research, 25(2): 1587-1596. https://doi.org/10.1007/s11356-017-0610-1

[35] Dunck, B., Lima-Fernandes, E., Cássio, F., Cunha, A., Rodrigues, L., Pascoal, C. (2015). Responses of primary production, leaf litter decomposition and associated communities to stream eutrophication. Environmental Pollution, 202: 32-40. https://doi.org/10.1016/j.envpol.2015.03.014

[36] Ramos, S., Amorim, E., Elliott, M., Cabral, H., Bordalo, A.A. (2012). Early life stages of fishes as indicators of estuarine ecosystem health. Ecological Indicators, 19: 172-183. https://doi.org/10.1016/j.ecolind.2011.08.024

[37] ESRI, ArcMap (Version 10). (2010). New York St. Redlands, USA.

[38] Zhang, J., Li, Q., Gong, H., Li, X., Song, L., Huang, J. (2010). Hydrologic Information Extraction Based on Arc Hydro Tool and DEM. 2010 International Conference on Challenges in Environmental Science and Computer Engineering, Wuhan, China. https://doi.org/10.1109/cesce.2010.169

[39] Adamczyk, J., Tiede, D. (2017). ZonalMetrics - a Python toolbox for zonal landscape structure analysis. Computers & Geosciences, 99: 91-99. https://doi.org/10.1016/j.cageo.2016.11.005

[40] Zar, J.H. (2005). Spearman Rank Correlation. In Encyclopedia of Biostatistics. John Wiley & Sons, Ltd. https://doi.org/10.1002/0470011815.b2a15150

[41] Pearson Correlation. (2018). In A Practical Approach to Using Statistics in Health Research. John Wiley & Sons, Inc. 165-172. https://doi.org/10.1002/9781119383628.ch17

[42] Nefzger, M.D., Drasgow, J. (1957). The needless assumption of normality in Pearson's r. American Psychologist, 12(10): 623-625. https://doi.org/10.1037/h0048216

[43] Zar, J.H. (1972). Significance testing of the spearman rank correlation coefficient. Journal of the American Statistical Association, 67(339): 578-580. https://doi.org/10.1080/01621459.1972.10481251

[44] Ospina Noreña, J.E., Domínguez-Ramírez, C.A., Vega-Rodríguez, E.E., Darghan-Contreras, A.E., Rodríguez-Molano, L.E. (2017). Analysis of the water balance under regional scenarios of climate change for arid zones of

Colombia. Atmósfera, 30(1): 63-76. https://doi.org/10.20937/atm.2017.30.01.06

[45] Wiedenfeld, R.P. (2000). Water stress during different sugarcane growth periods on yield and response to N fertilization. Agricultural Water Management, 43(2): 173-182. https://doi.org/10.1016/s0378-3774(99)00053-0

[46] Santos, M., Fonseca, A., Fragoso, M., Santos, J.A. (2018). Recent and future changes of precipitation extremes in mainland Portugal. Theoretical and Applied Climatology, 137(1-2): 1305-1319. https://doi.org/10.1007/s00704-018-2667-2

[47] Garcês, A., Pires, I., Rodrigues, P. (2019). Teratological effects of pesticides in vertebrates: a review. Journal of Environmental Science and Health, Part B, 55(1): 75-89. https://doi.org/10.1080/03601234.2019.1660562

[48] Chang, H. (2008). Spatial analysis of water quality trends in the Han River basin, South Korea. Water Research, 42(13): 3285-3304. https://doi.org/10.1016/j.watres.2008.04.006

[49] Pissarra, T.C.T., Valera, C.A., Costa, R.C.A., Siqueira, H.E., Martins Filho, M.V., Valle Júnior, R.F., Pacheco, F.A.L. (2019). A regression model of stream water quality based on interactions between landscape composition and riparian buffer width in small catchments. Water, 11(9): 1757. https://doi.org/10.3390/w11091757

[50] Sanches Fernandes, L.F., Fernandes, A.C.P., Ferreira, A.R.L., Cortes, R.M.V., Pacheco, F.A.L. (2018). A partial least squares − Path modeling analysis for the understanding of biodiversity loss in rural and urban watersheds in Portugal. Science of The Total Environment, 626: 1069-1085. https://doi.org/10.1016/j.scitotenv.2018.01.127

[51] Fernandes, A.C.P., Sanches Fernandes, L.F., Moura, J.P., Cortes, R.M.V., Pacheco, F.A.L. (2019). A structural equation model to predict macroinvertebrate-based ecological status in catchments influenced by anthropogenic pressures. Science of The Total Environment, 681: 242-257. https://doi.org/10.1016/j.scitotenv.2019.05.117

[52] Fernandes, A., Ferreira, A., Fernandes, L.S., Cortes, R., Pacheco, F. (2018). Path modelling analysis of pollution sources and environmental consequences in river basins. Water Pollution XIV. Presented at the Water Pollution 2018. https://doi.org/10.2495/wp180091

[53] Kock, N. (2015). Common method bias in PLS-SEM. International Journal of E-Collaboration, 11(4): 1-10. https://doi.org/10.4018/ijec.2015100101

[54] Fernandes, A., Ferreira, A., Fernandes, L.S., Cortes, R., Pacheco, F. (2019). PLS-PM For EcologicaL Integrity Mapping: Case Study Of The Ave River Basin, Portugal. Water and Society V. Water and Society 2019. https://doi.org/10.2495/ws190131

[55] Soares, S., Terêncio, D., Fernandes, L., Machado, J., Pacheco, F. (2019). The potential of small dams for conjunctive water management in rural municipalities. International Journal of Environmental Research and Public Health, 16(7): 1239. https://doi.org/10.3390/ijerph16071239