









- Int J Heat Fluid Flow*, vol. 18, no. 2, pp. 247-252, Apr. 1997. DOI: [10.1016/S0142-727X\(96\)00063-X](https://doi.org/10.1016/S0142-727X(96)00063-X).
- [2] Halici F., Taymaz I., Cunduz M., "The effect of the number of tube rows on heat, mass and momentum transfer in flat-plate finned tube heat exchangers," *Energy*, vol. 26, no. 11, pp. 963-972, Nov. 2001. DOI: [10.1016/S0360-5442\(01\)00048-2](https://doi.org/10.1016/S0360-5442(01)00048-2).
- [3] S. M. Saboya, F.E.M. Saboya, "Experiments on elliptic sections in one and two row arrangements of plate fin and tube heat exchangers," *Exp. Therm. Fluid Sci.*, vol. 24, no. 1-2, pp. 67-75, Mar. 2001. DOI: [10.1016/S0894-1777\(00\)00059-5](https://doi.org/10.1016/S0894-1777(00)00059-5).
- [4] He Y. L., Tao W. Q., Song F. Q., et al., "Three-dimensional numerical study of heat transfer characteristics of plain plate fin-and-tube heat exchangers from view point of field synergy principle," *Int. J. Heat Fluid Flow*, vol. 26, no. 3, pp. 459-473, June 2005. DOI: [10.1016/j.ijheatfluidflow.2004.11.003](https://doi.org/10.1016/j.ijheatfluidflow.2004.11.003).
- [5] Mon M. S., Gross U., "Numerical study of fin-spacing effects in annular-finned tube heat exchangers," *Int. J. Heat Mass Transf.*, vol. 47, no. 8-9, pp. 1953-1964, Apr. 2004. DOI: [10.1016/j.ijheatmasstransfer.2003.09.034](https://doi.org/10.1016/j.ijheatmasstransfer.2003.09.034).
- [6] Yan W. M., Sheen P. J., "Heat transfer and friction characteristics of fin-and-tube heat exchangers," *Int. J. Heat Mass Transf.*, vol. 43, no. 9, pp. 1651-1659, May 2000. DOI: [10.1016/S0017-9310\(99\)00229-X](https://doi.org/10.1016/S0017-9310(99)00229-X).
- [7] Ibrahim T. A., Gomaa A., "Thermal performance criteria of elliptic tube bundle in cross flow," *Int. J. Therm. Sci.*, vol. 48, no. 11, pp. 2148-2158, Nov. 2009. DOI: [10.1016/j.ijthermalsci.2009.03.011](https://doi.org/10.1016/j.ijthermalsci.2009.03.011).
- [8] Liu Fei, He Guogeng, "Numerical simulation of finned-tube air cooler with many rows," *Refrigeration and Air-Conditioning*, vol. 4, no. 4, pp. 30-33, 2004.
- [9] Wang C. C., Chi K. Y., "Heat transfer and friction characteristics of plain fin-and-tube heat exchangers, Part I: new experimental data," *Int. J. Heat Mass Transf.*, vol. 43, no. 15, pp. 2681-269, Aug. 2000. DOI: [10.1016/S0017-9310\(99\)00332-4](https://doi.org/10.1016/S0017-9310(99)00332-4).
- [10] Kim Y., "Heat transfer characteristics of flat plate finned-tube heat exchangers with large fin pitch," *Int. J. Refrig.*, vol. 28, no. 6, pp. 851-858, Sept. 2005. DOI: [10.1016/j.ijrefrig.2005.01.013](https://doi.org/10.1016/j.ijrefrig.2005.01.013).
- [11] Dang Yanhui, Ming Tingzhen, Liu Wei et al., "Numerical simulation on flow and heat transfer characteristics of rectangle-wing elliptic tube with interrupted holes," *CIESC Journal*, vol. 60, no. 12, pp. 2975-2980, 2009.
- [12] Tiwari S., Maurya D., Biswas G., et al., "Heat transfer enhancement in cross-flow heat exchangers using oval tubes and multiple delta winglets," *Int. J. Heat Mass Transf.*, vol. 46, no. 15, pp. 2841-2856, July 2003. DOI: [10.1016/S0017-9310\(03\)00047-4](https://doi.org/10.1016/S0017-9310(03)00047-4).
- [13] Zsolt Forray, "State-of-art Forgo type heat exchangers-the latest development," *Proceedings of the national conference on air cooling system*, China Electricity Council, Yinchuan City, Ningxia Province, 2009. DOI:
- [14] P. J. Roache, "Perspective: a method for uniform reporting of grid refinement studies," *Trans. ASME, J. Fluids Eng.*, vol. 116, no. 3, pp. 405-413, Sept. 1994. DOI: [10.1115/1.2910291](https://doi.org/10.1115/1.2910291).
- [15] North China Electric Power University, Report of the heat transfer and resistance performance test on the four-row heat exchanging elements with aluminum tubes and aluminum fins, 2011.