













- Electron. J. Geotech. Eng. 19: 2149–2157.
- [5] Santosa & Atmawinata. (1992). Geological Map.
- [6] El All EA, Khalil A, Rabeh T, Osman S. (2015). Geophysical contribution to evaluate the subsurface structural setting using magnetic and geothermal data in El-Bahariya Oasis, Western Desert, Egypt. *NRIAG J. Astron. Geophys* 4(2): 236-248.
- [7] Blakely RJ. (1996). Potential theory in gravity and magnetic application. Cambridge University Press. Cambridge. United Kingdom.
- [8] Juniarti E. (2017). Identification of Reservoir Geothermal at Kawah Wurung-Ijen complex, Bondowoso, east java using magnetic and remote sensing method. Thesis, Brawijaya University, Malang.
- [8] Al-Garni MA. (2010). Magnetic survey for delineating subsurface structures and estimating magnetic sources depth. Wadi Fatima, KSA. *J. King Saud Univ. - Sci.* 22(2): 87-96.
- [9] Vincent O. (2014). Ground magnetic survey in Otukpo area benue state Nigeria. *Journal of Natural Sciences Research* 4(6): 76–82.
- [10] Maryanto S. (2018). Preliminary investigation of volcano hosted geothermal area at Kasinan-Songgoriti-Cangar, Batu city, based on gravity-seismic methods. *AIP Conference Proceedings* 2021, 050010. <http://dx.doi.org/10.1063/1.5062760>
- [11] Nuha DYU, Avisena N. (2012). Modeling of the subsurface structure in songgoriti hot spring, Batu region based on the geomagnetic data. *Neutrino* 4(2): 178-187.