















- 8(1). <https://doi.org/10.1186/2251-712x-8-2>
- [11] Singh, C.J., Kumar, B. (2013). Analysis of state dependent bulk arrival unreliable queueing model. *International Journal of Industrial and Systems Engineering*, 15(3): 329. <https://doi.org/10.1504/ijise.2013.056681>
- [12] Rashmita, S. (2016). Mx/G/1 queueing model with state dependent arrival and server vacation. *International Journal of Engineering Trends and Technology*, 36(8): 389-393. <https://doi.org/10.14445/22315381/ijett-v36p272>
- [13] Hanumantha Rao, S.H., Kumar, V.V., Kumar, B.S., Rao, T.S. (2017). Analysis of two-phase queueing system with impatient customers, server breakdowns and delayed repair. *International Journal of Pure and Applied Mathematics*, 115(4). <https://doi.org/10.12732/ijpam.V115i4.1>.
- [14] Hanumantha Rao, S., Kumar, V., Srinivasa Rao, T., Srinivasa Kumar, B. (2018). Optimal control of M/M/1 two-phase queueing system with state-dependent arrival rate, server breakdowns, delayed repair, and N-policy. *Journal of Physics: Conference Series*, 1000, 012031. <https://doi.org/10.1088/1742-6596/1000/1/012031>
- [15] Singh, C.J., Jain, M., Kaur, S. (2018). Performance analysis of bulk arrival queue with balking, optional service, delayed repair and multi-phase repair. *Ain Shams Engineering Journal*, 9(4): 2067–2077. <https://doi.org/10.1016/j.asej.2016.08.025>