















- <http://dx.doi.org/10.5402/2012/965101>
- [39] Jähn A, Schröder MW, Fütting M, Schenzel K, Diepenbrock W. (2002). Characterization of alkali treated flax fibres by means of FT Raman spectroscopy and environmental scanning electron microscopy. *Spectrochimica Acta. Part A, Molecular and Biomolecular Spectroscopy* 58: 2271-2279. [https://doi.org/10.1016/S1386-1425\(01\)00697-7](https://doi.org/10.1016/S1386-1425(01)00697-7)
- [40] Sgriccia N, Hawley MC, Misra M. (2008). Characterization of natural fiber surfaces and natural fiber composites. *Composites Part A: Applied Science and Manufacturing* 39: 1632-1637. <https://doi.org/10.1016/j.compositesa.2008.07.007>
- [41] Boukerrou A, Hamour N, Djidjelli H, Hammiche D. (2012). Effect of the different sizes of the alfa on the physical, morphological and mechanical properties of pvc/alfa composites. *Macromolecular Symposia: Polymer Blends* 321: 191-196. <https://doi.org/10.1002/masy.201251134>
- [42] Zafeiropoulos NE, Williams DR, Baillie CA, Matthews FL. (2002). Engineering and characterisation of the interface in flax fibre/polypropylene composite materials. Part I. Development and investigation of surface treatments. *Composites Part A: Applied Science and Manufacturing* 33: 1083-1093. [https://doi.org/10.1016/S1359-835X\(02\)00082-9](https://doi.org/10.1016/S1359-835X(02)00082-9)
- [43] Tserki V, Zafeiropoulos NE, Simon F, Panayiotou C. (2005). A study of the effect of acetylation and propionylation surface treatments on natural fibres. *Composites: Part A* 36: 1110-1118. <https://doi.org/10.1016/j.compositesa.2005.01.004>
- [44] Kumar SMS, Duraibabu D, Subramanian K. (2014). Studies on mechanical, thermal and dynamic mechanical properties of untreated (raw) and treated coconut sheath fiber reinforced epoxy composites. *Materials and Design* 59: 63-69. <http://dx.doi.org/10.1016/j.matdes.2014.02.013>
- [45] Bledzki AK, Letman M, Viksne A, Rence L. (2005). A comparison of compounding processes and wood type for wood fibre—PP composites. *Composites: Part A* 36: 789-797. <https://doi.org/10.1016/j.compositesa.2004.10.029>
- [46] Th.Georgopoulos S, Tarantili PA, Avgerinos E, Andreopoulos AG, Koukios EG. (2005). Thermoplastic polymers reinforced with fibrous agricultural residues. *Polymer Degradation and Stability* 90: 303- 312. <https://doi.org/10.1016/j.polymdegradstab.2005.02.020>
- [47] Yao F, Wu Q, Lei Y, Xu Y. (2008). Rice straw fiber-reinforced high-density polyethylene composite: Effect of fiber type and loading. *Industrial Crops and Products* 28: 63-72. <https://doi.org/10.1016/j.indcrop.2008.01.007>
- [48] Anbukarasi K, Kalaiselvam S. (2015). Study of effect of fibre volume and dimension on mechanical, thermal, and water absorption behaviour of luffa reinforced epoxy composites, *Materials and Design* 66: 321-330. <http://dx.doi.org/10.1016/j.matdes.2014.10.078>
- [49] Kaci M, Djidjelli H, Boukerrou A, Zaidi L. (2007). Effect of wood filler treatment and EBAGMA compatibilizer on morphology and mechanical properties of low density polyethylene/olive husk flour composites. *eXPRESS Polymer Letters* 1: 467-473. <http://dx.doi.org/10.3144/expresspolymlett.2007.65>
- [50] Nedjma S, Djidjelli H, Boukerrou A, Grohens Y, Chibani N, Benachour D, Pillin I. (2014). Effect of chemical treatment on newspaper fibers reinforced polymer poly(vinyl chloride) composites. *Journal of Vinyl & Additive Technology* 22: 173-181. <https://doi.org/10.1002/vnl.21425>
- [51] Nazrul MI, Rezaur MR, Mominul H, Huque MM. (2010). Physico-mechanical properties of chemically treated coir reinforced polypropylene composites. *Composites Part A Applied Science and Manufacturing* 41: 192-198. <https://doi.org/10.1016/j.compositesa.2009.10.006>
- [52] Rezaur MR, Huque MM, Nazrul MI, Hasan M. (2009). Mechanical properties of polypropylene composites reinforced with chemically treated abaca. *Composites Part A: Applied Science and Manufacturing* 40: 511-517. <https://doi.org/10.1016/j.compositesa.2009.01.013>
- [53] Qian S, Wang H, Zarei E, Sheng K. (2015). Effect of hydrothermal pretreatment on the properties of moso bamboo particles reinforced polyvinyl chloride composites. *Composites Part B: Engineering* 82: 23-29. <https://doi.org/10.1016/j.compositesb.2015.08.007>
- [54] Abdul Khalil HPS, Tehrani MA, Davoudpour Y, Bhat AH, Jawaid M, Hassan A. (2012). Natural fiber reinforced poly(vinylchloride) composites: A review. *Journal of Reinforced Plastics and Composites* 32: 330-356. <https://doi.org/10.1177/0731684412458553>
- [55] El Mechtali FZ, Essabir H, Nekhlaoui S, Bensalah MO, Jawaid M, Bouhfid R, Quaiss AE. (2015). Mechanical and thermal properties of polypropylene reinforced with almond shells particles: Impact of chemical treatments. *Journal of Bionic Engineering* 12: 483-494. [https://doi.org/10.1016/S1672-529\(14\)60139-6](https://doi.org/10.1016/S1672-529(14)60139-6)
- [56] Ge XC, Li XH, Meng YZ. (2004). Tensile properties, morphology, and thermal behavior of PVC composites containing pine flour and bamboo flour. *Journal of Applied Polymer Science* 93: 1804-1811. <https://doi.org/10.1002/app.20644>
- [57] Yasuji K, Sei S. (2013). Preparation of acetylated wood meal and polypropylene composites II: mechanical properties and dimensional stability of the composites. *Journal of Wood Science* 59: 216-220. <https://doi.org/10.1007/s10086-012-1316-0>
- [58] Supri AG, Lim BY. (2009). Effect of treated and untreated filler loading on the mechanical, morphological, and water absorption properties of water hyacinth fibers-low density polyethylene composites. *Journal of Physical Science* 20: 85- 96.
- [59] Wirawan R., Sapuan SM, Robiah Y, Abdan K. (2011). Properties of sugarcane bagasse/poly (vinyl chloride) composites after various treatments. *Journal of Composite Materials* 45: 1667-1674. <https://doi.org/10.1177/0021998310385030>

## NOMENCLATURE

PVC	Polyvinyl chloride
DPF	Date palm fibers
PVC/UPF	Polyvinyl chloride composite with untreated fibers
PVC/APF	Polyvinyl chloride composite with acetylated fibers
PVC/NPF	Polyvinyl chloride composite with acetylated fibers