

REFERENCES

- [1] Furton KG, Hong Y, Hsu YL, Luo T, Rose S, Walton J. (2002). Identification of odor signature chemicals in cocaine using solid-phase microextraction-gas chromatography and detector-dog response to isolated compounds spiked on U.S. paper currency. *Journal of Chromatographic Science* 40(3): 147-155. <https://doi.org/10.1093/chromsci/40.3.147>
- [2] James AL, Perry JD, Rigby A, Stanforth SP. (2007). Synthesis and evaluation of novel chromogenic aminopeptidase substrates for microorganism detection and identification. *Bioorganic & Medicinal Chemistry Letters* 17(5): 1418-1421. <https://doi.org/10.1016/j.bmcl.2006.11.088>
- [3] Cecchini F, Iacumin L, Fontanot M, Comi G, Manzano M. (2012). Identification of the unculturable bacteria *Candidatus arthromitus* in the intestinal content of trouts using dot blot and southern blot techniques. *Veterinary Microbiology* 156(3-4): 389-394. <https://doi.org/10.1016/j.vetmic.2011.11.020>
- [4] Demirev AP, Feldman A, Kowalski P, Lin JS. (2005). Top-down proteomics for rapid identification of intact microorganisms. *Analytical Chemistry* 77(22): 7455-7461. <https://doi.org/10.1021/ac051419g>
- [5] Doty RL, Perl DP, Steele JC, Chen KM, Pierce JD, Reyes P. (1991). Odor identification deficit of the parkinsonism-dementia complex of Guam. *Neurology* 41(5 Suppl 2): 77-80. https://doi.org/10.1212/wnl.41.5_suppl_2.77
- [6] Buck GE. (1989). Nonculture methods for detection and identification of microorganisms in clinical specimens. *Pediatric Clinics of North America* 36(1): 95-112. [https://doi.org/10.1016/s0031-3955\(16\)36618-4](https://doi.org/10.1016/s0031-3955(16)36618-4)
- [7] Wang Z, Ma Y, Zhao G, Liao X, Chen F, Wu J. (2006). Influence of gamma irradiation on enzyme, microorganism, and flavor of cantaloupe (*Cucumis melo*, l.) juice. *Journal of Food Science* 71(6): M215-M220. <https://doi.org/10.1111/j.1750-3841.2006.00097.x>
- [8] Mgode GF, Weetjens BJ, Nawrath T, Cox C, Jubitana M, Machang'U RS. (2012). Diagnosis of tuberculosis by trained african giant pouched rats and confounding impact of pathogens and microflora of the respiratory tract. *Journal of Clinical Microbiology* 50(2): 274-280. <https://doi.org/10.1128/jcm.01199-11>
- [9] Chen YC, Higgins MJ, Beightol SM, Murthy SN, Toffey WE. (2011). Anaerobically digested biosolids odor generation and pathogen indicator regrowth after dewatering. *Water Research* 45(8): 2616-2626. <https://doi.org/10.1016/j.watres.2011.02.014>
- [10] Claeson AS, Sunesson AL. (2005). Identification using versatile sampling and analytical methods of volatile compounds from *Streptomyces albidoflavus* grown on four humid building materials and one synthetic medium. *Indoor Air* 15(s9): 41-47. <https://doi.org/10.1111/j.1600-0668.2005.00343.x>
- [11] Stivarius MR, Pohlman FW, Mcelyea KS, Apple JK. (2002). Microbial, instrumental color and sensory color and odor characteristics of ground beef produced from beef trimmings treated with ozone or chlorine dioxide. *Meat Science* 60(3): 299-305. [https://doi.org/10.1016/s0309-1740\(01\)00139-5](https://doi.org/10.1016/s0309-1740(01)00139-5)
- [12] Spiehs MJ, Brown-Brandl TM, Parker DB, Miller DN, Jaderborg JP, DiCostanzo A, Berry ED, Wells JE. (2014). Use of wood-based materials in beef bedded manure packs: 2. effect on odorous volatile organic compounds, odor activity value, and nutrient concentrations. *Journal of Environmental Quality* 43(4): 1195-1206. <https://doi.org/10.2134/jeq2013.05.0165>
- [13] Doty RL, Reyes PF, Gregor TP. (1987). Presence of both odor identification and detection deficits in alzheimer's disease. *Brain Research Bulletin* 18(5): 597-600. [https://doi.org/10.1016/0361-9230\(87\)90129-8](https://doi.org/10.1016/0361-9230(87)90129-8)
- [14] Bodyak N, Slotnick B. (1999). Performance of mice in an automated olfactometer: Odor detection, discrimination and odor memory. *Chemical Senses* 24(6): 637-645. <https://doi.org/10.1093/chemse/24.6.637>
- [15] Doty RL, Risser JM. (1990). Influence of the d-2 dopamine receptor agonist quinpirole on the odor detection performance of rats before and after spiperone administration. *Psychopharmacology* 100(2): 285-285. <https://doi.org/10.1007/bf02244421>
- [16] Pietras RJ, Moulton DG. (1974). Hormonal influences on odor detection in rats: changes associated with the estrous cycle, pseudopregnancy, ovariectomy, and administration of testosterone propionate. *Physiology & Behavior* 12(3): 475-491. [https://doi.org/10.1016/0031-9384\(74\)90125-5](https://doi.org/10.1016/0031-9384(74)90125-5)